Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 7-11 RADIANT

· Article number: 02140006

· UFI: G2R5-N59J-260U-HMEG

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• **Product category** PC35 Washing and cleaning products (including solvent based products)

PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- · Application of the substance / the mixture Scouring agent/ Cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk web: www.zep.co.uk

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy; Via Nettunense Km. 25.000 04011 Aprilia (LT) - Italy

T: +39.06.926691 F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 1)

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or ubstantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.

DetNet logging number: 10.10.2014

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 931-329-6 Reg.nr.: 01-2119490100-53-xxxx	🅸 Áquatic Chronic 2, H411	≥5-<10%
CAS: 5949-29-1 EC number: 611-842-9	\$\iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	1-2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide Net. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: C≥5%	≥0.5-<1%
Reg.nr.: 01-2119457892-27-xxxx	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2 Reg.nr.: 01-2119488876-14-xxxx	ammonia Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥0.25-<1%

Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Nonionic surfactants	≥5 - <15%
EDTA and salts thereof, AMMONIUM HYDROXIDE	<5%
Preservation agents (AMMONIUM HYDROXIDE, BENZISOTHIAZOLINONE), Perfumes	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 2)

- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Keep contaminated washing water and dispose of appropriately.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:
CAS: 1310-73-2 sodium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m³

· DNELs

CAS: 1310-73-2 sodium hydroxide

Inhalative DNEL Long term-systemic mg/m3 1 mg/m3 (-)

CAS: 1336-21-6 ammonia

Dermal DNEL Acute-systemic 6.8 mg/kg human/day (worker)

· PNECs

CAS: 5949-29-1 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate

PNEC Freshwater mg/L
PNEC Marinewater mg/L
PNEC Freshwater sediment
PNEC Freshwater sediment
PNEC Marine water sediment
PNEC Soil
33.1 mg/Kg
PNEC Sewage treatment Plant mg/L
>1,000 mg/L

CAS: 1336-21-6 ammonia

PNEC Freshwater mg/L 0.0011 mg/L

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

· Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection: Goggles recommended during refilling

<u> </u>		
9.1 Information on basic physical and c	chemical properties	
General Information		
Appearance:		
Form:	Viscous	
Colour:	Light green	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	10.3	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: >103 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:	Not determined.	
Dynamic: Kinematic at 20°C:	Not determined. 400 s (DIN 53211/4)	
	400 S (DIN 33211/4)	
Solvent content:	0.004	
Organic solvents:	0.0%	
Swiss VOC:	0.03 %	

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

		(Contd. of page 4)
Solids content:	41.8 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 values rele	vant for classification:
Amides,	C8-18 (even	numbered) and C18-unsatd., N, N-bis(hydroxyethyl)
Oral	LD50	>2,000 mg/kg (Rat)
CAS: 59	949-29-1 1,2,.	3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate
Oral	LD50	5,400 mg/kg (Mouse)
		3,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
	LC50/24 h	1,535 mg/ltr (Daphnia magna (water flea))
		440 mg/ltr (fish)
	LC50 / 48 h	440 mg/ltr (fish)
CAS: 13	10-73-2 sodi	ium hydroxide
Oral	LD50	3,500 mg/kg (Rat)
	LC50	35 mg/l (fish)
	EC50	40.4 mg/ltr (-)
CAS: 13	36-21-6 amn	nonia
Oral	LD50	350 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation DETNET method
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

12.1 Toxicity	
· Aquatic toxicity:	
Amides, C8-18 (e	ven numbered) and C18-unsatd., N, N-bis(hydroxyethyl)
LC50 / 96 h	1-10 mg/ltr (Brachydanio rerio)
OECD test 301 D	>60 (biodegradation in % after 28 days)
CAS: 5949-29-1	,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate
LC50 / 96 h	>400 mg/ltr (Leuciscus idus)
	(Contd. on page 6)

(Contd. on page 6)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

_		(Contd. of page 5)
	CAS: 1310-73-2	sodium hydroxide
LC50 / 96 h 125 mg/ltr (Gambusia affinis) CAS: 1336-21-6 ammonia		125 mg/ltr (Gambusia affinis)
		ammonia
	LC50 / 96 h	0.89 mg/ltr (fish)
	EC 50 / 48 h	110 mg/ltr (Daphnia magna (water flea))

- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations

· Europear	n waste catalogue
	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING
	NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP14	Ecotoxic

- · Uncleaned packaging:
- Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of the IBC Code	f Marpol and Not applicable.	
UN "Model Regulation":	Void	

GB

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 6)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1223/2009 (Cosmetics);

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Directive 2012/18/FL
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment

 Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008. DetNet logging number: DetNet/231

Calculation method

Department issuing SDS:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

(Contd. on page 8)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation — Category 2
STOT SE 3: Specific target organ toxicity (single exposure) — Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

(Contd. on page 9)

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 8)

Annex: Exposure scenario

· Short title of the exposure scenario

FISSLER KERAMISCHE KOOKPLAAT REINIGER

HOME POLIJSTER

HOME POLITURREINIGER

KEM 7-11

7-11 RADIANT

ZEP 7-11

BOMA HULK POWER POLISH

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

· Process category

PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- Worker 4 hrs (half working shift).
- Environment The product must not be released into the environment.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure

No special measures required.

Use only on hard ground.

· Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Indoor application.

· Other operational conditions affecting consumer exposure

Not required.

Keep out of the reach of children.

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

No special measures required.

Ensure that suitable extractors are available on processing machines

Personal protective measures

No special measures required.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Preventive skin protection by use of skin-protecting agents is recommended.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Do not inhale gases / fumes / aerosols.

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Air No special measures required.
- · Water

No special measures required.

Do not allow to reach sewage system.

· Soil Prevent contamination of soil.

· Disposal measures

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

· Disposal procedures

Dispose of product residues with household waste.

(Contd. on page 10)

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.12.2020 Version: 11 Revision: 31.12.2020

Trade name: 7-11 RADIANT

(Contd. of page 9)

- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.
