Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AC CAR
- · Article number: 10790001
- · **UFI:** NQVX-12NG-701S-RX7P
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- · Application of the substance / the mixture Cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP İTALIA SRL

Piazzale Luigi Cadorna, 2

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

Distributed in the UK by:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000

Fax: +44 (0)151 422 1011

@: info@zep.co.uk

web: www.zep.co.uk

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

emergency number (europe): 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms





· Signal word Danger

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-xxxx	ethanol	50-75%	
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-25%	
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-10%	
CAS: 2372-82-9 EINECS: 219-145-8 Reg.nr.: 01-2119980592-29-XXXX	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine STOT RE 2, H373 Skin Corr. 1A, H314 Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10) Acute Tox. 4, H302	≥0.25-<1%	
CAS: 7173-51-5 EINECS: 230-525-2 Index number: 612-131-00-6	didecyldimethylammonium chloride Acute Tox. 3, H301 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411	≥0.25-<1%	

· Additional information:

Ingredients according to Detergents Regulation 648/2004/EC

Disinfectants

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 2)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Wear self-contained respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep away from heat and direct sunlight.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

DAIDI			(Contd. of pag
DNELs			
	7-5 ethanol		
Oral	DNEL Long term-systemic		87 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic		206 mg/kg human/day (consumer)
			343 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic i	mg/m3	114 mg/m3 (consumer)
			950 mg/m3 (worker)
	DNEL Long term local mg/s	m3	950 mg/m3 (consumer)
			1,900 mg/m3 (worker)
CAS: 2372	2-82-9 N-(3-aminopropyl)-N	l-dodec	• • •
Oral	DNEL Long term-systemic		0.2 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic		0.54 mg/kg human/day (consumer)
			0.91 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic i	mg/m3	0.7 mg/m3 (consumer)
	DNEL Long term-systemic p	ррт	2.35 ppm /mg/m3 (worker)
PNECs			
CAS: 64-1	7-5 ethanol		
PNEC Fre	shwater mg/L 0).96 mg	t/L (-)
PNEC Mai	rinewater mg/L 0	0.79 mg	z/L (-)
PNEC Freshwater sediment 3.6 m		.6 mg/l	Kg (-)
PNEC Marine water sediment 2.9		.9 mg/l	Kg (-)
PNEC Intermittent release 2.75 (-) PNEC Soil 0.63 mg. PNEC Sewage treatment Plant mg/L 580 mg/ CAS: 2372-82-9 N-(3-aminopropyl)-N-dodec		2.75 (-)	
		0.63 mg	r/Kg (-)
		80 mg/	/L (-)
		-dodec	cylpropane-1,3-diamine
PNEC Fre	shwater mg/L 0	0.001 m	gg/L (-)
PNEC Fre	shwater sediment 8	3.5 mg/l	Kg
PNEC Soil	l 4	5.34 m	gg/Kg (-)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

PNEC Sewage treatment Plant mg/L 1.33 mg/L (-)

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection

Generally the product does not irritate the skin.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Not suitable are gloves made of the following materials: Strong material gloves

(Contd. on page 5)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

· Eye/face protection

(Contd. of page 4)



Tightly sealed goggles

SECTION 9: Physical and chemical properties	S
9.1 Information on basic physical and chemical propertion	es
General Information	
Physical state	Aerosol
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Not applicable, as aerosol.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.5 Vol %
Upper:	15 Vol %
Flash point:	-97 °C
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
оН	Not determined.
Viscosity:	Tov weter minew
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	Not determined.
water at 20 °C:	1.93 g/l
water at 20°C.	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	2100 hPa
	2100 nr a
Density and/or relative density	0.70 -/3
Density at 20 °C:	0.79 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	365 °C
Explosive properties:	Product is not explosive. However, formation of explosive air/
	vapour mixtures are possible.
Solvent content:	1
Organic solvents:	99.0 %
Swiss VOC:	95.08 %
Change in condition	
Evaporation rate	Not applicable.
<u> </u>	······································
Information with regard to physical hazard classes	77.1
Explosives	Void
Flammable gases	Void
Aerosols	
Extremely flammable aerosol. Pressurised container: May	burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric aquas Pyrophoric solids	Void

(Contd. on page 6)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

		(Contd. of page 5
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	ble gases in	
contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Do not store together with oxidising and acidic materials.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
ATE (Acu	ATE (Acute Toxicity Estimates)				
Oral	LD50	21,388 mg/kg (Rat)			
CAS: 64-1	CAS: 64-17-5 ethanol				
Oral	LD50	7,060 mg/kg (Rat)			
Inhalative	LC50 / 4 h	20,000 mg/l (Rat)			
CAS: 2372	CAS: 2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine				
Oral	LD50	261 mg/kg (Rat)			
Dermal	LD50	>600 mg/kg (Rat)			
CAS: 7173	CAS: 7173-51-5 didecyldimethylammonium chloride				
Oral	LD50	264 mg/kg (Rat) OECD Guideline 401			
Dermal	LD50	3,342 mg/kg (Rabbit)			
	EC 50 / 96 h	0.026 mg/ltr (-) OECD TG 201			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

EU

Version: 7 (replaces version 6) Printing date 13.07.2021 Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity

· 12.1 Toxicity					
· Aquatic toxicity:					
CAS: 64-17-5 eth	CAS: 64-17-5 ethanol				
EC 50 / 48 h	10,800 mg/ltr (Daphnia magna (water flea))				
CAS: 2372-82-9 I	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine				
LC50 / 96 h	0.45 mg/ltr (Lepomus gobbosus (Zonnebaars))				
	0.68 mg/ltr (Oncorhynchus mykiss (Rainbow trout)) OECD 203				
EC 50 / 48 h	0.073 mg/ltr (Daphnia magna (water flea))				
EC 50 / 72 H	0.039 (Selenastrum capricornutum (Algae))				
OECD test 301 D	79 (biodegradation in % after 28 days)				
OECD test 302 B	91 (biodegradation in % after 28 days)				
CAS: 7173-51-5 a	lidecyldimethylammonium chloride				
LC50 / 96 h	0.5 mg/ltr (Oncorhynchus mykiss (Rainbow trout)) OECD guidence 203				
	0.19 mg/ltr (Pimephales promelas)				
EC 50 / 48 h	0.062 mg/ltr (Daphnia magna (water flea)) Method: US-EPA-FIFRA				
OECD test 301 A	90 (biodegradation in % after 28 days) Method: OECD 301 A				
OECD test 301 B	72 (biodegradation in % after 28 days) Guideline:OECD 301 B				
OECD test 302 B	87-94 (biodegradation in % after 28 days)				

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

Test method: OECD 302 B

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations

European	waste	catalogue	

	· European wasie caiatogue					
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED					
15 01 00	packaging (including separately collected municipal packaging waste)					
15 01 04	metallic packaging					
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES					
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics					
07 06 99	wastes not otherwise specified					
HP3	Flammable					

HP4 Irritant - skin irritation and eye damage

HP14 **Ecotoxic**

(Contd. on page 8)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 7)

- · Uncleaned packaging:
 · Recommendation: Disposal in accordance with administrative provisions

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1950 AEROSOLS AEROSOLS (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, didecyldimethylammonium chloride), MARINE POLLUTANT AEROSOLS, flammable
· 14.3 Transport hazard class(es)	ALKOSOLS, fianimuote
· ADR	
· Class	2 5F Gases.
· Label	2.1
IMDG	
· Class	2.1
· Label · IATA	2.1
· Class · Label	2.1 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
murme pouutani.	Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number:	Warning: Gases. - F-D,S-U
· Segregation groups · Stowage Code	Alkalis SW1 Protected from sources of heat.
U	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
mon materia	The application.

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

	(Contd. of page
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
• • •	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

Reg (EC) n. 648/2004 - Detergents

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

CAS: 7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 10)

Version: 7 (replaces version 6) Printing date 13.07.2021 Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 9)

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	95.1

- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eve damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- Date of previous version: 13.07.2021
- Version number of previous version: 6
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration IOELV: Indicative occupational exposure limit values

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

(Contd. on page 11)

Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

STOT RE 2: Specific target organ toxicity (repeated exposure) — Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* Data compared to the previous version altered.

(Contd. on page 12)

(Contd. of page 10)

Printing date 13.07.2021 Version: 7 (replaces version 6) Revision: 13.07.2021

Trade name: AC CAR

(Contd. of page 11)

Annex: Exposure scenario

- · Short title of the exposure scenario For the finished product.
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC7 Industrial spraying PROC11 Non industrial spraying

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Aerosol
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

Indoor application.

Avoid contact with eyes.

- Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes.

Tightly sealed goggles

· Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Water No special measures required.
- · Disposal measures

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

- Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.