Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: FORMULA 50 EU
- · Article number: 94340001
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Degreaser
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RR

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk

web: www.zep.co.uk

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: sales@zepbenelux.com

ZEP ITALIA SRL

Via Netunese Km. 25.000

04011 Aprilia (LT) - Italy

Tel: +39.06.926691

Fax: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

#### · Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

## Safety data sheet According to 1907/2006/EC, Article 31 REACH

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

#### · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

sodium dodecylbenzenesulphonate, pure tetrasodium ethylenediaminetetraacetate

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 25155-30-0 EINECS: 246-680-4	sodium dodecylbenzenesulphonate, pure  Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	5-10%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol  ••• Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate  Eye Dam. 1, H318  Acute Tox. 4, H302	1-2.5%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol  Eye Irrit. 2, H319	1-2.5%

Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Nonionic surfactants	<i>≥5 -</i> < <i>15%</i>
EDTA and salts thereof, Anionic surfactants	<5%

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Long-term value: 98 mg/m³, 20 ppm Skin	
Skin     112-34-5 2-(2-butoxyethoxy)ethanol (1-2.5%)   WEL (Great Britain)   Short-term value: 101.2 mg/m³, 15 ppm	
WEL (Great Britain) Short-term value: 101.2 mg/m³, 15 ppm	
Bong term value. 07.5 mg/m, 10 ppm	
IOELV (European Union) Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	

Trade name: FORMULA 50 EU

(Contd. of page 2			
DNELs Control of the			
04-02-8 tet Oral	trasodium ethylenediaminetetraac		28 mg/kg human/day (consumer)
	DNEL Long term-systemic DNEL Acute-systemic mg/		, , , ,
ınnatative	DNEL Acute-systemic mg/	ms	1.7 mg/m3 (consumer) 2.8 mg/m3 (worker)
112 24 5 2	?-(2-butoxyethoxy)ethanol		2.0 mg/m3 (worker)
			10 mg/kg human/day (consumer)
Dermai	DNEL Long term-systemic		,
In halating	DNEL Long town materia		20 mg/kg human/day (worker)
ınnatative	DNEL Long term-systemic	mg/m3	
	DNEL Lana tama la al ma	/ 2	67.5 mg/m3 (worker)
	DNEL Long term local mg	7/m3	34 mg/m3 (consumer) 67.5 mg/m3 (worker)
	DNEL 44- 11/2		
DNEL Acute-local mg/m3			50.6 mg/m3 (consumer)
PNECs			
64-02-8 tetrasodium ethylenediaminetetraac			
C		2.8 mg/1	
		0.28 mg	
		1.6 (mg/	
		0.95 mg	
PNEC Sewage treatment Plant mg/L 57 mg		57 mg/L	
112-34-5 2-(2-butoxyethoxy)ethanol			
		1 mg/L	
PNEC Marinewater mg/L 0.1 mg		0.1  mg/I	L
		4 mg/Kg	3
		0.4  mg/m	Kg
PNEC Intermittent release 3.9		3.9	
PNEC Sewage treatment Plant mg/L 200 mg/L		200 mg/	<sup>T</sup> L
Ingredients with biological limit values:			
111-76-2 2-butoxyethanol (2.5-5%)			
BMGV (Great Britain) 240 mmol/mol creatinine			ine
Medium: urine			1.0
Sampling time: post			
Parameter: butoxyacetic acid			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

### Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

(Contd. on page 5)

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chem	ical properties
9.1 Information on basic physical and c	chemical properties
General Information	nemical properties
Appearance:	
Form:	Liquid
Colour:	Blue
· Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20°C:	12.5
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: 100°C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20°C:	23 hPa
Density at 20°C:	$1.064  \mathrm{g/cm^3}$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	5.3 %
EU-VOC:	318.4 g/l
EU-VOC	3.96 %
Swiss VOC:	3.96 %
Solids content:	5.2 %
9.2 Other information	No further relevant information available.

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.				
· LD/LC50 v	· LD/LC50 values relevant for classification:			
111-76-2 2	111-76-2 2-butoxyethanol			
Oral	LD50	470 mg/kg (Rat)		
		320 mg/kg (Rabbit)		
Dermal	LD50	400-500 mg/kg (rab)		
		2,270 mg/kg (Rat)		
Inhalative	LC50 / 4 h	2.21 mg/ltr (Rat)		
	LC50 / 48 h	1,815 mg/ltr (Daphnia magna (water flea))		
	LC50 / 96 h	1,490 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))		
64-02-8 tetrasodium ethylenediaminetetraacetate				
Oral	LD50	1,560 mg/kg		
Inhalative	LC50 / 4 h	>1,000 mg/ltr		
	LC50/8 h	1,000-5,000 mg/m3 (Rat)		
	LC50 / 96 h	>1,000 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))		
		33-189 mg/ltr (fish)		
	EC 50 / 48 h	140 mg/ltr (Daphnia magna (water flea))		
	EC 50 / 72 H	>300 (Desmodesmus subspicatus) (mg/L)		
112-34-5 2-(2-butoxyethoxy)ethanol				
Oral	LD50	>2,000 mg/kg (Rat)		
Dermal	LD50	>2,000 mg/kg (Rabbit)		
	LC50 / 96 h	1,300 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))		
	EC 50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))		

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

EC 50 / 96 h > 100 mg/ltr (Selenastrum capricornutum (Algae))

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

*OECD test 301 E* > 70 (biodegradation in % after 28 days)

(Contd. on page 7)

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

(Contd. of page 6)

#### OECD test 302 B 100 (biodegradation in % after 28 days)

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations
- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN3266
14.2 UN proper shipping name ADR IMDG, IATA	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C5) Corrosive substances.
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number: Segregation groups	F-A,S-B Alkalis

Trade name: FORMULA 50 EU

	(Contd. of pag
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Annex II o	f Marpol and
the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Ü	8, III

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 - Reach;

Reg. (EC) n. 2015/830 annex II of REACH;

Reg. (EC) n. 648/04 (Detergents);

Reg. (EC) n. 528/12 (Biocides BPR);

Reg. (EC) n. 1223/2009 (Cosmetics);

 $Dir.\ 06/08\ ADR-RID$  - IMDG - IATA;

Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	5-10

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

### Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

(Contd. on page 9)

Printing date 01.09.2017 Version: 5 Revision: 01.09.2017

Trade name: FORMULA 50 EU

(Contd. of page 8)

IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\* Data compared to the previous version altered.

(Contd. on page 10)

Trade name: FORMULA 50 EU

(Contd. of page 9)

#### Annex: Exposure scenario

· Short title of the exposure scenario

For the finished product.

FORMULA 50 EU

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Product category** PC35 Washing and cleaning products (including solvent based products)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Used amount per time or activity According to directions for use.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures Ensure that suitable extractors are available on processing machines
- Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Water Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB