

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **FS FORMULA 3685 (Listed NSF A3: n° 142314)**

Article number: 24940002

UFI: EE93-3V07-9924-DSAY

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Life cycle stages PW Widespread use by professional workers

Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

#### Process category

PROC7 Industrial spraying

PROC10 Roller application or brushing

#### Application of the substance / the mixture

Deliming agent

Cleaning agent/ Cleaner

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

ZEP UK Ltd  
Tanhouse Lane  
Widnes Cheshire, WA8 0RD  
United Kingdom  
Tel: +44 (0)151 422 1000  
Fax: +44 (0)151 422 1011  
@: info@zep.co.uk  
web: www.zep.co.uk

ZEP Industries BV  
Vierlinghweg 30  
4612 PN Bergen op Zoom  
The Netherlands  
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117  
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395  
@: info@zepbenelux.com

ZEP ITALIA SRL  
Piazzale Luigi Cadorna, 2 - Milano - (MI)  
20123 Milano (MI) - Italy;  
Via Nettunense Km. 25.000  
04011 Aprilia (LT) - Italy  
T: +39.06.926691  
F: +39.06.92747061  
@: tecnico@zepeurope.com  
Sito: www.zep.it

#### Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 1)

### Hazard pictograms



GHS05 GHS07

### Signal word Danger

### Hazard-determining components of labelling:

phosphoric acid  
methanesulphonic acid

### Hazard statements

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

### Precautionary statements

P260 Do not breathe mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

### Results of PBT and vPvB assessment





PBT: Not applicable.  
vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

### Dangerous components:

· <b>Dangerous components:</b>		
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid  Met. Corr. 1, H290; Skin Corr. 1B, H314  Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	25-50%
CAS: 75-75-2 EINECS: 200-898-6 Index number: 607-145-00-4 Reg.nr.: 01-2119491166-34-XXXX	methanesulphonic acid  Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318  Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	1-2.5%
· <b>Additional information: Ingredients according to Detergents Regulation 648/2004/EC</b>		
Nonionic surfactants		<5%

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

### After inhalation:

In case of unconsciousness place patient stably in side position for transportation.  
Seek immediate medical advice.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

### After swallowing:

Do not induce vomiting; call for medical help immediately.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
  - Carbon dioxide
  - Dry sand
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
  - Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
  - Wear fully protective suit.
  - Do not inhale explosion gases or combustion gases.
  - Wear self-contained respiratory protective device.
- **Additional information**
  - Cool endangered receptacles with water spray.
  - Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
  - Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, universal binders).
  - Use neutralising agent.
  - Dispose contaminated material as waste according to item 13.
  - Ensure adequate ventilation.
- **6.4 Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Use only in well ventilated areas.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
  - **Requirements to be met by storerooms and receptacles:** No special requirements.
  - **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).
  - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:****CAS: 7664-38-2 phosphoric acid**

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
IOELV (European Union)	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>

· **DNELs****CAS: 7664-38-2 phosphoric acid**

Inhalative	DNEL Long term local mg/m <sup>3</sup>	0.73 mg/m <sup>3</sup> (consumer)
------------	--	-----------------------------------

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 3)

		2.92 mg/m <sup>3</sup> (worker)
	DNEL Acute-local mg/m <sup>3</sup>	2 mg/m <sup>3</sup> (worker)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Suitable respiratory protective device recommended.

· **Protection of hands:**



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Acid resistant protective clothing

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Colourless

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** <1

· **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: >103 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.  
Not determined.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

(Contd. on page 5)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 4)

· <b>Density at 20 °C:</b>	1.25 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic at 20 °C:</b>	20 s (DIN 53211/4)
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Swiss VOC:</b>	0.00 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with alkali (lyes).  
Reacts with certain metals.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Do not store together with alkalis (caustic solutions).
- **10.6 Hazardous decomposition products:** Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful if swallowed.

#### · LD/LC50 values relevant for classification:

##### ATE (Acute Toxicity Estimates)

Oral	LD50	805 mg/kg
Dermal	LD50	52,381 mg/kg

##### CAS: 7664-38-2 phosphoric acid

Oral	LD50	300 mg/kg (Rat)
Dermal	LD50	2,740 mg/kg (Rabbit)
Inhalative	LC50/ 8 h	>214 mg/m <sup>3</sup> (Rat)
	LC50/ 24 h	245 mg/ltr (Brachydanio rerio)

##### CAS: 75-75-2 methanesulphonic acid

Oral	LD50	mg/kg (Rat)
Dermal	LD50	mg/kg (Rabbit)
Inhalative	LC50 / 4 h	mg/l (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 5)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity:

CAS: 7664-38-2 phosphoric acid

LC50 / 96 h	138 mg/ltr (blu)
	98-106 mg/ltr (fish)

CAS: 75-75-2 methanesulphonic acid

LC50 / 96 h	mg/ltr (fish)
EC 50 / 48 h	mg/ltr (Daphnia magna (water flea))
NOEC	mg/l (-)

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.  
 The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.  
 Must not reach sewage water or drainage ditch undiluted or unneutralised.  
 In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations

#### European waste catalogue

15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP6	Acute Toxicity
HP8	Corrosive

- **Uncleaned packaging:**
- **Recommendation:** Disposal in accordance with administrative provisions

### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN3264

(Contd. on page 7)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 6)

## · 14.2 UN proper shipping name

· ADR

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(PHOSPHORIC ACID, SOLUTION, methanesulphonic acid)

· IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(PHOSPHORIC ACID, SOLUTION, methanesulphonic acid)

## · 14.3 Transport hazard class(es)

· ADR



· Class

8 (C1) Corrosive substances.

· Label

8

· IMDG, IATA



· Class

8 Corrosive substances.

· Label

8

## · 14.4 Packing group

· ADR, IMDG, IATA

III

## · 14.5 Environmental hazards:

· Marine pollutant:

No

## · 14.6 Special precautions for user

Warning: Corrosive substances.

· Hazard identification number (Kemler code):

80

· EMS Number:

F-A,S-B

· Stowage Category

A

· Stowage Code

SW2 Clear of living quarters.

## · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## · Transport/Additional information:

· ADR

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(PHOSPHORIC ACID, SOLUTION, METHANESULPHONIC ACID), 8, III

## SECTION 15: Regulatory information

## · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

(Contd. on page 8)

GB



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 7)

Reg (EC) n. 648/2004 - Detergents

- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



- **Signal word** Danger

- **Hazard-determining components of labelling:**

phosphoric acid  
methanesulphonic acid

- **Hazard statements**

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **National regulations:**

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

- **Classification according to Regulation (EC) No 1272/2008** Calculation method

- **Department issuing SDS:**

Customer Service  
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- **Contact:**

Customer Service  
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

**Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)**

(Contd. of page 8)

*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*DNEL: Derived No-Effect Level (REACH)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*WELL: The highest acceptable concentration*  
*IOELV: Indicative occupational exposure limit values*  
*Met. Corr. 1: Corrosive to metals – Category 1*  
*Acute Tox. 4: Acute toxicity - oral – Category 4*  
*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

· **\* Data compared to the previous version altered.**

GB

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.01.2021

Version: 7

Revision: 18.01.2021

Trade name: FS FORMULA 3685 (Listed NSF A3: n° 142314)

(Contd. of page 9)

### Annex: Exposure scenario

- **Short title of the exposure scenario**  
 FORMULA AMIANTE  
 ACID NO MOUSS  
 FS FORMULA 3685 (Listed NSF A3: n° 142314)  
 DETERACID SP  
 FS FORMULA 3685 (NO LABEL)
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category**  
 PROC7 Industrial spraying  
 PROC10 Roller application or brushing
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Used amount per time or activity** According to directions for use.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
 Avoid contact with eyes.  
 Avoid contact with the skin.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the skin.  
 Avoid contact with the eyes.  
 Tightly sealed goggles  
 Protective gloves  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- **Disposal measures**  
 Disposal in accordance with administrative provisions  
 Ensure that waste is collected and contained.
- **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB