

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **KDS NR 2**

Article number: 01840001

UFI: W9VC-79AF-K50E-REMA

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Life cycle stages PW Widespread use by professional workers

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Process category PROC19 Manual activities involving hand contact

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Application of the substance / the mixture Toilet cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

Distributed in the UK by:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000

Fax: +44 (0)151 422 1011

@: info@zep.co.uk

web: www.zep.co.uk

Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

emergency number (europe): 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 1)

2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labelling:

phosphoric acid

Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

hydrochloric acid

Alcohols, C9-11, ethoxylated

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	≥10-<25%
CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs. ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302 Aquatic Chronic 3, H412	≥10-<25%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225 ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	10-25%
CAS: 68439-46-3 EC number: 614-482-0	Alcohols, C9-11, ethoxylated ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	5-10%
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X Reg.nr.: 01-2119484862-27-xxxx	hydrochloric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	≥3-<5%

· Additional information:

Ingredients according to Detergents Regulation 648/2004/EC

(Contd. on page 3)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 2)

Anionic surfactants	≥15 - <30%
Nonionic surfactants	≥5 - <15%
Perfumes	

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
Seek medical treatment.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
Keep contaminated washing water and dispose of appropriately.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, universal binders).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Use only in well ventilated areas.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 3)

- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7664-38-2 phosphoric acid

IOELV Short-term value: 2 mg/m³
Long-term value: 1 mg/m³

CAS: 7647-01-0 hydrochloric acid

IOELV Short-term value: 15 mg/m³, 10 ppm
Long-term value: 8 mg/m³, 5 ppm

· **DNELs**

CAS: 7664-38-2 phosphoric acid

Inhalative	DNEL Long term-systemic mg/m3	10.7 mg/m3 (worker)
	DNEL Long term local mg/m3	0.73 mg/m3 (consumer)
		1 mg/m3 (worker)
	DNEL Acute-local mg/m3	2 mg/m3 (worker)

CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

Oral	DNEL Long term-systemic	0.85 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	85 mg/kg human/day (consumer)
		170 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	3 mg/m3 (consumer)
		12 mg/m3 (worker)
	DNEL Long term local mg/m3	3 mg/m3 (consumer)
		12 mg/m3 (worker)

CAS: 67-63-0 propan-2-ol

Oral	DNEL Long term-systemic	26 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	319 mg/kg human/day (consumer)
		888 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	89 mg/m3 (consumer)
		500 mg/m3 (worker)

· **PNECs**

CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

PNEC Freshwater mg/L	0.287 mg/L
PNEC Marinewater mg/L	0.0287 mg/L
PNEC Freshwater sediment	0.287 mg/Kg
PNEC Marine water sediment	0.287 mg/Kg
PNEC Intermittent release	0.0167 (mg/L)
PNEC Soil	35 mg/Kg
PNEC Sewage treatment Plant mg/L	3.43 mg/L

CAS: 67-63-0 propan-2-ol

PNEC Freshwater mg/L	140.9 mg/L
PNEC Marinewater mg/L	140.9 mg/L
PNEC Freshwater sediment	552 mg/Kg
PNEC Marine water sediment	552 mg/Kg
PNEC Intermittent release	140.9
PNEC Soil	28 mg/Kg

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 4)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Do not inhale gases / fumes / aerosols.
 - Avoid contact with the eyes.
 - Do not eat, drink, smoke or sniff while working.
- **Respiratory protection:** Use suitable respiratory protective device when high concentrations are present.
- **Hand protection**



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **Not suitable are gloves made of the following materials:** Strong material gloves
- **Eye/face protection**



Tightly sealed goggles

- **Body protection:**
 - Protective work clothing
 - Acid resistant protective clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Green
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** 2 Vol %
- **Upper:** 12 Vol %
- **Flash point:** Not applicable.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Decomposition temperature:** Not determined.
- **pH at 20 °C** 0.5
- **Viscosity:**
- **Kinematic viscosity at 20 °C** 40 s (DIN 53211/4)
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Insoluble.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure at 20 °C:** 42 hPa
- **Density and/or relative density**
- **Density at 20 °C:** 1.151 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 5)

· 9.2 Other information

· Appearance:

· Form:

Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature:

310 °C

· Explosive properties:

Product does not present an explosion hazard.
Not determined.

· Solvent content:

· Organic solvents:

12.3 %

· Swiss VOC:

· Solids content:

0.0 %

· Change in condition

· Evaporation rate

Not determined.

· Information with regard to physical hazard classes

· Explosives

Void

Void

· Flammable gases

Void

Void

· Aerosols

Void

Void

· Oxidising gases

Void

Void

· Gases under pressure

Void

Void

· Flammable liquids

Void

Void

· Flammable solids

Void

Void

· Self-reactive substances and mixtures

Void

Void

· Pyrophoric liquids

Void

Void

· Pyrophoric solids

Void

Void

· Self-heating substances and mixtures

Void

Void

· Substances and mixtures, which emit flammable gases in contact with water

Void

Void

· Oxidising liquids

Void

Void

· Oxidising solids

Void

Void

· Organic peroxides

Void

Void

· Corrosive to metals

Void

Void

· Desensitised explosives

Void

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with alkali (lyes).

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Do not store together with alkalis (caustic solutions).

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

EU

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 6)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	1,030 mg/kg (Rat)
------	------	-------------------

CAS: 7664-38-2 phosphoric acid

Oral	LD50	300 mg/kg (Rat)
Dermal	LD50	2,740 mg/kg (Rabbit)
Inhalative	LC50/ 8 h	> 214 mg/m ³ (Rat)
	LC50/ 24 h	245 mg/ltr (Brachydanio rerio)

CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

Oral	LD50	1,470 mg/kg (Rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (Rat)

CAS: 67-63-0 propan-2-ol

Oral	LD50	> 5,000 mg/kg (Rat)
Dermal	LD50	13,900 mg/kg (rab)
Inhalative	LC50 / 4 h	46-73 mg/l (Rat)
	LC50/ 8 h	12,000-19,000 mg/m ³ (Rat)
	EC50 / 24 h	> 1,000 mg/ltr (Daphnia magna (water flea))

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

Oral	LD50	500 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rat)

CAS: 7647-01-0 hydrochloric acid

Inhalative	LC50/ 8 h	46.5 mg/m ³ (Rat)
------------	-----------	------------------------------

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 7664-38-2 phosphoric acid

LC50 / 96 h	138 mg/ltr (Daphnia magna (water flea))
	98-106 mg/ltr (fish)

CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

LC50 / 96 h	> 1-10 mg/ltr (Cyprinus Carpio) (OECD 203)
	> 1-10 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))
	1-10 mg/ltr (Brachydanio rerio)
EC 50 / 48 h	> 1-10 mg/ltr (Daphnia magna (water flea)) (OECD 202)
EC 50 / 72 H	> 10-100 (Desmodesmus subspicatus) (mg/L OECD 201)
OECD test 301 A	> 70 (biodegradation in % after 28 days)

(Contd. on page 8)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 7)

CAS: 67-63-0 propan-2-ol

LC50 / 96 h	9,640 mg/ltr (fish) >1,400 mg/ltr (<i>Lepomus gobbosus</i> (Zonnebaars)) 6,550 mg/ltr (<i>Pimephales promelas</i>)
EC 50 / 48 h	2,285-13,299 mg/ltr (<i>Daphnia magna</i> (water flea))

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

LC50 / 96 h	5-7 mg/ltr (fish)
EC 50 / 48 h	2.5 mg/ltr (<i>Daphnia magna</i> (water flea))
EC 50 / 72 H	1.4 /mg/l (<i>Selenastrum capricornutum</i> (Algae))

CAS: 7647-01-0 hydrochloric acid

LC50 / 96 h	20.5 mg/ltr (fish)
EC 50 / 72 H	0.73 (<i>Daphnia magna</i> (water flea))

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations

European waste catalogue

15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
HP6	Acute Toxicity
HP8	Corrosive

- **Uncleaned packaging:**
- **Recommendation:** Disposal in accordance with administrative provisions

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN3264

(Contd. on page 9)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 8)

· 14.2 UN proper shipping name

· ADR

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION)

· IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC
ACID, PHOSPHORIC ACID, SOLUTION)

· 14.3 Transport hazard class(es)

· ADR



· Class

8 (C1) Corrosive substances.

· Label

8

· IMDG, IATA



· Class

8 Corrosive substances.

· Label

8

· 14.4 Packing group

· ADR, IMDG, IATA

III

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

· Hazard identification number (Kemler code):

Warning: Corrosive substances.

· EMS Number:

80

· Segregation groups

F-A,S-B

· Stowage Category

Acids

· Stowage Code

A

SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION), 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

Reg (EC) n. 648/2004 - Detergents

(Contd. on page 10)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 9)

- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
phosphoric acid
Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.
hydrochloric acid
Alcohols, C9-11, ethoxylated
- **Hazard statements**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **National regulations:**

- **Technical instructions (air):**

Class	Share in %
NK	11.9

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.
- **Classification according to Regulation (EC) No 1272/2008** Calculation method
- **Department issuing SDS:**
Customer Service
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 10)

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Date of previous version:** 16.07.2021

· **Version number of previous version:** 14

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

EU

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2021

Version: 15 (replaces version 14)

Revision: 26.07.2021

Trade name: KDS NR 2

(Contd. of page 11)

Annex: Exposure scenario

- **Short title of the exposure scenario** For the finished product.
- **Sector of Use**
 - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
 - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category** PROC19 Manual activities involving hand contact
- **Environmental release category**
 - ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
 - ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Used amount per time or activity** According to directions for use.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**
 - Avoid contact with eyes.
 - Avoid contact with the skin.
 - Indoor application.
 - Outdoor application.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
 - Do not inhale gases / fumes / aerosols.
 - Avoid contact with the skin.
 - Avoid contact with the eyes.
 - Tightly sealed goggles
 - Protective gloves
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- **Disposal measures**
 - Disposal in accordance with administrative provisions
 - Ensure that waste is collected and contained.
- **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.