Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)
- · Article number: 02410003
- · **UFI**: 9HG9-XX04-H60T-CQSN
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Product category** PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- · Application of the substance / the mixture Alkaline cleaner/ detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011

@: info@zep.co.uk web: www.zep.co.uk

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

 $Tel: (NL) + 31\ 164\ 250\ 100\ (B) + 32\ 2\ 347\ 0117$ 

Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

 $\underbrace{\textit{@: tecnico@zepeurope.com} }$ 

Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 (Scotland)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

#### · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate

 $so dium\ hydroxide$ 

Silicic acid, sodium salt

C12-14 alcohols ethoxylated, sulfates, sodium salt

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate  Eye Dam. 1, H318  Acute Tox. 4, H302	5-10%
CAS: 1344-09-8 EINECS: 215-687-4 Reg.nr.: 01-2119448725-31-xxxx	Silicic acid, sodium salt  Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	≥2.5-<3%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	C12-14 alcohols ethoxylated, sulfates, sodium salt  Eye Dam. 1, H318  Skin Irrit. 2, H315  Aquatic Chronic 3, H412	≥2.5-<3%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide  ♠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ % Skin Corr. 1B; H314: $2$ % ≤ $C < 5$ % Skin Irrit. 2; H315: $0.5$ % ≤ $C < 2$ % Eye Irrit. 2; H319: $0.5$ % ≤ $C < 2$ %	≥2-<2.5%
CAS: 9043-30-5 NLP: 500-027-2 Reg.nr.: 02-2119492447-27-xxxx	Isotridecanol, ethoxylated  Eye Dam. 1, H318 Acute Tox. 4, H302	1-2.5%

Ingredients according to Detergents Regulation 648/2004/EC For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

Seek medical treatment.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Keep contaminated washing water and dispose of appropriately.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with acids.

Not required.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

GB

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

· DNELs

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

Oral DNEL Long term-systemic 28 mg/kg human/day (consumer)
Inhalative DNEL Acute-systemic mg/m3 1.7 mg/m3 (consumer)
2.8 mg/m3 (worker)

CAS: 1310-73-2 sodium hydroxide

Inhalative DNEL Long term-systemic mg/m3 1 mg/m3 (-)

· PNECs

#### CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

PNEC Freshwater mg/L
PNEC Marinewater mg/L
PNEC Intermittent release
PNEC Soil
PNEC Sewage treatment Plant mg/L
2.8 mg/L
0.28 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working.

Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection:



Tightly sealed goggles

Body protection:

Protective work clothing

Alkaline resistant protective clothing

GB

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

SECTION 9: Physical and chemical properties

(Contd. of page 4)

9.1 Information on basic physical and General Information Appearance:	chemical properties
Form:	Fluid
Colour:	Red
· Odour:	Characteristic
Odour threshold:	Not determined.
· pH-value at 20 °C:	13.4
Change in condition Melting point/freezing point: Initial boiling point and boiling rang	Undetermined. e: >103 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.

Product does not present an explosion hazard.

Lower	· <b>:</b>	
Upper	:	
· Vanour	nressure at 20 °C ·	

Density at 20 °C:
Relative density
Vapour density
Evaporation rate

· Solubility in / Miscibility with water:
· Partition coefficient: n-octanol/water:

· Partition coefficient: n-octanol/water: · Viscosity:

Viscosity:
Dynamic:

Kinematic at 20 °C:

Solvent content:

Swiss VOC:
Solids content:

· Explosive properties:

· Explosion limits:

· 9.2 Other information

30 s (DIN 53211/4)

Not determined.

Not determined.
Not determined

23 hPa

1.095 g/cm<sup>3</sup>

Not determined. Not determined.

Not determined.

Fully miscible.

Not determined.

Not determined.

0.00 %

No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

#### ATE (Acute Toxicity Estimates)

Oral LD50 12,751 mg/kg

(Contd. on page 6)

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 5)

CAS: 64-0	2-8 tetrasoa	lium ethylenediaminetetraacetate
Oral	LD50	1,560 mg/kg
Inhalative	LC50 / 4 h	>1,000 mg/l
	LC50/8 h	1,000-5,000 mg/m3 (Rat)
CAS: 1310	)-73-2 sodiu	m hydroxide
Oral	LD50	3,500 mg/kg (Rat)
	LC50	35 mg/l (fish)
	EC50	40.4 mg/ltr (-)

- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· 12.1 Toxicity

	12.1 10xicity		
ſ	· Aquatic toxicity:		
Ī	CAS: 64-02-8	R tetrasodium ethylenediaminetetraacetate	
ſ	LC50 / 96 h	>1,000 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))	
		33-189 mg/ltr (fish)	
	EC 50 / 48 h	140 mg/ltr (Daphnia magna (water flea))	
	EC 50 / 72 H	>300 (Desmodesmus subspicatus) (mg/L)	
ſ	CAS: 1310-73	3-2 sodium hydroxide	
ľ	LC50 / 96 h	LC50/96 h   125 mg/ltr (Gambusia affinis)	

- · 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

CD

*Printing date 31.12.2020 Version: 7 Revision: 31.12.2020* 

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 6)

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations

· Europear	· European waste catalogue	
	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 02	plastic packaging	
HP4	Irritant - skin irritation and eye damage	

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number	
ADR, IMDG, IATA	UN1824
14.2 UN proper shipping name	
ADR	1824 SODIUM HYDROXIDE SOLUTION mixture
IMDG, IATA	SODIUM HYDROXIDE SOLUTION mixture
14.3 Transport hazard class(es)	
ADR	
Class	8 (C5) Corrosive substances.
Label	8
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Alkalis
Stowage Category	A SC25 Story "a an areated from " SCC1 acids
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Annex II of Mar the IBC Code	pol and Not applicable.
Transport/Additional information:	approuote.
ADR	
ADK Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 7)

· IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 5L
 Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1824 SODIUM HYDROXIDE SOLUTION MIXTURE, 8, III

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate

sodium hydroxide

Silicic acid, sodium salt

C12-14 alcohols ethoxylated, sulfates, sodium salt

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment
- Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 9)

Version: 7 Printing date 31.12.2020 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 8)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

#### Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $\label{lem:aquatic convergence} \textit{Aquatic Chronic 3: Hazardous to the aquatic environment-long-term aquatic hazard-Category 3}$ 

\* Data compared to the previous version altered.

(Contd. on page 10)

Printing date 31.12.2020 Version: 7 Revision: 31.12.2020

Trade name: KDS NR 4 (Listed NSF A1, A4: n° 142318)

(Contd. of page 9)

### Annex: Exposure scenario

· Short title of the exposure scenario

For the finished product.

ECOLINE KITCHEN DEGREASER

AGRICARE ONTVETTER

Helder Ontvetter 03

KDS NR 8 ZF

BOMA KITCHEN DEGREASER

KDS NR 4 (Listed NSF A1, A4: n° 142318)

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Indoor application.

Outdoor application.

- Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures Ensure that suitable extractors are available on processing machines
- · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Water Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- · Disposal measures

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.