Version: 9 (replaces version 8)

Revision: 12.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Quick Easy Q1 Glass · Article number: 10520004 · UFI: 16A3-A05K-500R-SE14 • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Life cycle stages PW Widespread use by professional workers • Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC35 Washing and cleaning products (including solvent based products) • Process category PROC19 Manual activities involving hand contact · Environmental release category ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor) · Application of the substance / the mixture Window cleaner · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: ZEP ITALIA SRL Piazzale Luigi Cadorna, 2 20123 Milano (MI) - Italy; Via Nettunense Km. 25.000 04011 Aprilia (LT) - Italy T: +39.06.926691 F: +39.06.92747061 (a): tecnico@zepeurope.com Sito: www.zep.it ZEP Industries BV Vierlinghweg 30 4612 PN Bergen op Zoom The Netherlands Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395 *@: info@zepbenelux.com* Distributed in the UK by: ZEP UK Ltd Tanhouse Lane Widnes Cheshire, WA8 0RD United Kingdom Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 (a): info(a)zep.co.uk web: www.zep.co.uk · Further information obtainable from: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 · 1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland) emergency number (europe): 112 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour. Eye Dam. 1 H318 Causes serious eye damage. · 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) EU

Version: 9 (replaces version 8)

Trade name: Quick Easy Q1 Glass

Revision: 12.07.2021

· Hazard pictogr	(Contd. of page 1)
GHS02 G	HS05
• Signal word Da	inger
	ining components of labelling:
	14, ethoxylated, sulfates, sodium salts
· Hazard statem	
	le liquid and vapour.
	erious eye damage.
• Precautionary P210	Kutements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	<i>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
P310	Immediately call a POISON CENTER/doctor.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	
	ins 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
	rds The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
Results of PBT	and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 67-63-0	propan-2-ol	10-25%
EINECS: 200-661-7	🔅 Flam. Liq. 2, H225	
Index number: 603-117-00-0	♦ Eye Irrit. 2, H319; STOT SE 3, H336	
Reg.nr.: 01-2119457558-25-xxxx		
CAS: 68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	<i>≥</i> 3-<5%
NLP: 500-234-8	📀 Eye Dam. 1, H318	
Reg.nr.: 01-2119488639-16-xxxx		
	Aquatic Chronic 3, H412	
CAS: 1336-21-6	ammonia	≥0.1-<0.25%
EINECS: 215-647-6	Skin Corr. 1B, H314; Eye Dam. 1, H318	
Index number: 007-001-01-2	Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
Reg.nr.: 01-2119488876-14-xxxx	🚯 STOT SE 3, H335	
	Specific concentration limit: STOT SE 3; H335: $C \ge 5 \%$	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0.02%
EINECS: 220-120-9	Eye Dam. 1, H318	
Index number: 613-088-00-6	Aquatic Acute 1, H400	
Reg.nr.: exempted	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
01-2120761540-60-xxxx	Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	
• Additional information:	·	
Ingredients according to Detergen	nts Regulation 648/2004/EC	

Anionic surfactants, EDTA and salts thereof

Preservation agents (BENZISOTHIAZOLINONE), Perfumes

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

<5%

EU

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately rinse with water.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources. Mount respiratory protective device.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, universal binders). Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep away from heat and direct sunlight.
 Store in cool, dry place in tightly closed receptacles.
 Open and handle receptacle with care.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

- EU

(Contd. of page 2)

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

DNELs	3-0 propan-2-ol			
Oral	DNEL Long term-systemi	c	26 mg/kg human/day (consumer)	
Dermal	DNEL Long term-systemic		319 mg/kg human/day (consumer)	
Dermai	DIVED Long term systemit	0	888 mg/kg human/day (vorker)	
Inhalative	DNEL Long term-systemic mg/m3			
111111111111110			500 mg/m3 (worker)	
CAS: 1336	-21-6 ammonia			
	DNEL Acute-systemic		6.8 mg/kg human/day (worker)	
	-33-5 1,2-benzisothiazol	3(2H)-on		
	DNEL Long term-systemi		0.345 mg/kg human/day (consumer)	
2 01 man	21.22 Long term system	-	0.966 mg/kg human/day (worker)	
Inhalative	DNEL Long term-systemi	c mg/m3		
	21.22 Long term system		6.81 mg/m3 (worker)	
PNECs				
	2.0			
	3-0 propan-2-ol	1 (0 0	/1	
	shwater mg/L	140.9 m		
	inewater mg/L	140.9 m		
	shwater sediment	552 mg/	-	
	rine water sediment	552 mg/	Kg	
	rmittent release	140.9		
PNEC Soil		28 mg/k	ίg	
	5-21-6 ammonia			
	shwater mg/L	0.0011 1		
CAS: 2634	-33-5 1,2-benzisothiazol	<u> </u>		
PNEC Freshwater $\mu g/L$ 4.0		4.03 µg		
	PNEC Marinewater $\mu g/L$ 0.4		0.403 µg/L (-)	
PNEC Mar	PNEC Freshwater sediment 0.0499		ng/Kg (-)	
	shwater sediment			
PNEC Fre	shwater sediment tine water sediment		ng/Kg (-)	
PNEC Fre	rine water sediment			

• Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

Do not inhale dust / smoke / mist.

Avoid contact with the eves and skin.

• **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· Hand protection



· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Not suitable are gloves made of the following materials: Strong material gloves

(Contd. on page 5) EU

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.07.2021

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

· Eye/face protection



Tightly sealed goggles

9.1 Information on basic physical and chemical properti	es	
General Information	Fluid	
Physical state		
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling range	>103 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	2 Vol %	
Upper:	12 Vol %	
Flash point:	32 °C	
Auto-ignition temperature:	Product is not selfigniting.	
Decomposition temperature:	Not determined.	
vH at 20 °C	9.1	
Viscosity:		
Kinematic viscosity at 20 °C	10 s (DIN 53211/4)	
Dynamic:	Not determined.	
Solubility		
water:	Insoluble.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	42 hPa	
Density and/or relative density		
Density at 20 °C:	0.98 g/cm^3	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Appearance. Form:	Fluid	
Important information on protection of health and	Tituta	
environment, and on safety.		
Ignition temperature:	425 °C	
Explosive properties:	Product does not present an explosion hazard. Not determined.	
Solvent content:	not determined.	
Organic solvents:	20.0 %	
EU-VOC:	757.4 g/l	
EU-VOC.	19.99 %	
Swiss VOC:	19.99 %	
Swiss VOC: Change in condition	17.77 /0	
Evaporation rate	Not determined.	
· · · · · · · · · · · · · · · · · · ·		
Information with regard to physical hazard classes	V-: 4	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids		
Flammable liquid and vapour.		
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
·		

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

		(Contd. of page 5)
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammab	le gases in	
contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

Acute toxi	cuy Duseu On	i avanable aala, the classification criteria are not met.	
		nt for classification:	
CAS: 67-6	3-0 propan-2	2-ol	
Oral	LD50	>5,000 mg/kg (Rat)	
Dermal	LD50	13,900 mg/kg (rab)	
Inhalative	LC50 / 4 h	46-73 mg/l (Rat)	
	LC50/ 8 h	12,000-19,000 mg/m3 (Rat)	
	EC50 / 24 h	>1,000 mg/ltr (Daphnia magna (water flea))	
CAS: 1336	5-21-6 ammo	nia	
Oral	LD50	350 mg/kg (Rat)	
CAS: 2634	-33-5 1,2-be	nzisothiazol-3(2H)-one	
Oral	LD50	1,150 mg/kg (Rat)	
Dermal	LD50	>2,000 mg/kg (Rat)	
		m Based on available data, the classification criteria are not met.	
	e damage/irr		
	ious eye dam	0	
		n sitisation Based on available data, the classification criteria are not met. Ay Based on available data, the classification criteria are not met.	
		on available data, the classification criteria are not met.	
	• Reproductive toxicity Based on available data, the classification criteria are not met.		
STOT-sing	gle exposure	Based on available data, the classification criteria are not met.	
		re Based on available data, the classification criteria are not met.	
		ed on available data, the classification criteria are not met.	
· 11.2 Infor	mation on ot	ther hazards	
· Endocrine	disrupting p	properties	
CAS: 80-5-	4-6 p-t-E	Butyl-alpha-methylhydrocinnamic aldehyde	List II
CAS: 118	58-1 Benz	yl salicylate	List II

 CAS: 118-58-1
 Benzyl salicylate
 List II

 CAS: 32388-55-9
 Acetyl cedrene
 List II

 CAS: 54464-57-2
 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone
 List II

(Contd. on page 7)

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

(Contd. of page 6)

SECTION	12: Ecological information
· 12.1 Toxicity	
· Aquatic toxi	
-	0 propan-2-ol
	9,640 mg/ltr (fish)
	>1,400 mg/ltr (Lepomus gobbosus (Zonnebaars))
	6,550 mg/ltr (Pimephales promelas)
EC 50 / 48 h	2,285-13,299 mg/ltr (Daphnia magna (water flea))
CAS: 1336-2	21-6 ammonia
LC50 / 96 h	0.89 mg/ltr (fish)
EC 50 / 48 h	110 mg/ltr (Daphnia magna (water flea))
12.5 Results PBT: Not ap vPvB: Not ap 12.6 Endocr 12.7 Other a Additional ex General note In accordance to at least 90 Must not rea Water hazare	pplicable. ine disrupting properties For information on endocrine disrupting properties see section 11. dverse effects cological information: 2s: the with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up
• 13.1 Waste ta • Recommend • European wa 15 00 00 W2	U 13: Disposal considerations reatment methods fation Disposal must be made according to official regulations aste catalogue ASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING OT OTHERWISE SPECIFIED

NOT OTHERWISE SPECIFIED

15 01 00 packaging (including separately collected municipal packaging waste)

15 01 02 plastic packaging

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

• Uncleaned packaging: • Recommendation: Disposal in accordance with administrative provisions

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALCOHOL))
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALCOHOL))

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.07.2021

Version: 9 (replaces version 8)

Revision: 12.07.2021

Trade name: Quick Easy Q1 Glass

14.3 Transport hazard class(es)	(Contd. of pa
ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
3	
· Class · Label	3 Flammable liquids. 3
	5
· 14.4 Packing group · ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E, S-E
· Segregation groups · Stowage Category	Alkalis A
• 14.7 Maritime transport in bulk according to IN	
instruments	Not applicable.
Transport/Additional information:	11
ADR	
· ADK · Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 ml 3
• Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY) Alcohol)), 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) n. 1272/2008 - CLP; Reg. (EC) n. 2015/830 annex II of REACH; Dir. 06/08 ADR - RID - IMDG - IATA; Dir. 12/18 (Seveso III); Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management) Reg (EC) n. 648/2004 - Detergents
Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 9)

- EU -

Revision: 12.07.2021

Printing date 12.07.2021

Version: 9 (replaces version 8)

Trade name: Quick Easy Q1 Glass

· Hazard pictogra	(Contd. of page 8)
J. J.	
<u>e</u>	
GHS02 GH	IS05
• Signal word Dat	nger
· Hazard-determi	ning components of labelling:
	4, ethoxylated, sulfates, sodium salts
• Hazard statemen	
	e liquid and vapour. rious eye damage.
· Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
D210	do. Continue rinsing.
P310 P403+P235	Immediately call a POISON CENTER/doctor. Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Dimenting 2012/1	
· Directive 2012/1 · Named dangero	o/EU us substances - ANNEX I None of the ingredients is listed.
	P5c FLAMMABLE LIQUIDS
	tity (tonnes) for the application of lower-tier requirements 5,000 t
	ntity (tonnes) for the application of upper-tier requirements 50,000 t
	(EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
· DIRECTIVE 20 – Annex II	11/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment
None of the ingr	edients is listed.
· REGULATION	(EU) 2019/1148
· Annex I - REST	RICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingr	edients is listed.
· Annex II - REP	ORTABLE EXPLOSIVES PRECURSORS
None of the ingr	edients is listed.
· National regula	tions:
• Technical instru	uctions (air):
Class Share i	n %

ClassShare in %NK20.0

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 10) EU

U -

Revision: 12.07.2021

Printing date 12.07.2021

Version: 9 (replaces version 8)

Trade name: Quick Easy Q1 Glass

Classification according to Regulation (EC) No 1272/2008 Calculation method	(Contd. of page
Department issuing SDS:	
Customer Service	
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710	
$B: Tel: +32 \ 2 \ 347 \ 0117 \ Fax: +32 \ 2 \ 347 \ 1395$	
IT: Tel: +39 069 266 91Fax: +39 06.927 470 61	
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011	
Contact:	
Customer Service	
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710	
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395	
IT: Tel: +39 069 266 91Fax: +39 06.927 470 61	
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011	
Date of previous version: 18.06.2021	
Version number of previous version: 8	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning	the International Transport of
Dangerous Goods by Rail)	
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation	
ICAO: International Civil Avlation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord relating at transport international des marchandises dangereuses par route (European Agreement Concerning the In	nternational Carriage of Dangeron
Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)	
VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative WELL: The highest acceptable concentration	
IOELV: Indicative occupational exposure limit values	
Flam. Lig. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 For built 2: Surjean and damage/eye irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1	
SKII Sens. 1: SKII sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	