



# Product Specification Report

Rev. 1.0

**SANITARY SPRAY LUBRICANT EU** is a NSF H1 grade lubricant for Food and Pharma processing equipment. Formulated with one of the finest U.S.P. liquid petrolatum available.

## SANITARY SPRAY LUBRICANT EU

Food processing lubricant NSF H1 approved

### FEATURES:

<b>Meets NSF H-1 criteria</b>	Approved for use in food processing facilities where incidental food contact can occur.
<b>Lubrication</b>	Sanitary Spray Lubricant EU has excellent lubricating properties for all types of mechanisms. Remains fluid as low as -20° C and it is active up to a temperature of 200°C
<b>High purity</b>	Ingredients are odorless, tasteless and colorless. It does not contain any unsaturated, aromatic or silicone compounds.
<b>Neutral and non-reactive</b>	Does not contain any soaps and will not become rancid.
<b>Silicon free</b>	Does not contain any silicone compounds.
<b>No CFC</b>	Contains no Ozone depleting chemicals

### APPLICATIONS:

SANITARY SPRAY LUBRICANT EU leaves an almost invisible film which has excellent lubricating properties and water repellency. Ideal for: Bakeries, Eating Establishments, Meat Packing Plants, Dairy Farms, Food Preparation – Manufacturing, Poultry & Fish Packing Plants.

### SPECIFICATIONS:

Form .....Aerosol  
Colour .....Colourless  
Odour.....Odourless  
Density at 20 °C .....0,94 g/cm<sup>3</sup>  
Solubility in water.....Insoluble  
Net volume .....600 ml  
Gross volume .....800 ml

### COMPATIBILITY:

All metal surfaces.

### USE:

Spray the product from a distance of about 10-20 cm, apply the minimum amount necessary in order to have a good lubricating action.

### APPROVALS:

*SANITARY SPRAY LUBRICANT EU is certified NSF as a product used in case of incidental food contact (Grade H-1) according Nonfood Compounds Registration Program (registration # 144023).*

### ACTIVE INGREDIENTS:

- ✓ Paraffinic oils ("White Codex")
- ✓ Propellants

### PRECAUTIONS FOR USE:

May damage some plastics. We recommend a preliminary test. For more information please refer to the MSDS.

*All information in this document is based on our practical experience and/or laboratory tests. Due to the multiplicity of conditions for usage and variable human factors, we recommend that you always test our products for suitability prior to use. At any time, this version of the product specification report may have been revised based on legislation, availability of the individual ingredients or newly acquired information. The current approved version is available upon request.*



**Zep Italia s.r.l.**  
T • 800 016 918  
Numero Verde Tecnico  
800-579185  
a tecnico@zepeurope.com  
www.zep.it



**Zep UK Ltd.**  
T • 0151 422 1000  
F • 0151 422 1011  
info@zep.co.uk  
www.zep.co.uk



**Zep Industries BV**  
T • 02 347 01 17  
F • 02 347 13 95  
sales@zep.be  
www.zepindustries.be



**Zep Industries BV**  
T • 0164 250100  
F • 0164 266710  
info@zepbenelux.com  
www.zepindustries.nl



**Zep Industries BV**  
T • 0521 174158  
F • 0521 5217114  
sales@zepbenelux.com  
www.zepindustries.de