

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** STRIPGEL
- **Article number:** 03120005
- **UFI:** 70Q0-H071-E00K-0FS3
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages PW** Widespread use by professional workers
- **Sector of Use SU22** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category PC35** Washing and cleaning products (including solvent based products)
- **Process category PROC10** Roller application or brushing
- **Environmental release category**
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- ERC8c Widespread use leading to inclusion into/onto article (indoor)
- ERC8f Widespread use leading to inclusion into/onto article (outdoor)
- **Application of the substance / the mixture** Industrial cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
- ZEP ITALIA SRL
- Piazzale Luigi Cadorna, 2
- 20123 Milano (MI) - Italy;
- Via Nettunense Km. 25.000
- 04011 Aprilia (LT) - Italy
- T: +39.06.926691
- F: +39.06.92747061
- @: tecnico@zepeurope.com
- Sito: www.zep.it
  
- ZEP Industries BV
- Vierlinghweg 30
- 4612 PN Bergen op Zoom
- The Netherlands
- Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
- Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395
- @: info@zepbenelux.com
  
- Distributed in the UK by:
  
- ZEP UK Ltd
- Tanhouse Lane
- Widnes Cheshire, WA8 0RD
- United Kingdom
- Tel: +44 (0)151 422 1000
- Fax: +44 (0)151 422 1011
- @: info@zep.co.uk
- web: www.zep.co.uk
- **Further information obtainable from:**
- Customer Service
- NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
- B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
- IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
- UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011
- **1.4 Emergency telephone number:**
- NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)
- emergency number (europe): 112

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
- Flam. Liq. 2 H225 Highly flammable liquid and vapour.
- Acute Tox. 4 H302 Harmful if swallowed.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: **STRIPGEL**

(Contd. of page 1)

Carc. 2 H351 Suspected of causing cancer.  
 STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.  
 STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

### 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

### · Hazard pictograms



GHS02

GHS07

GHS08

· **Signal word** Danger

### · Hazard-determining components of labelling:

dichloromethane

methanol

### · Hazard statements

H225 Highly flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H351 Suspected of causing cancer.  
 H370 Causes damage to the central nervous system and the visual organs.  
 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

### · Precautionary statements

P201 Obtain special instructions before use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P403+P235 Store in a well-ventilated place. Keep cool.

### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### · Determination of endocrine-disrupting properties

CAS: 75-09-2 dichloromethane

List II

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 75-09-2 EINECS: 200-838-9 Index number: 602-004-00-3 Reg.nr.: 01-2119480404-41	dichloromethane Carc. 2, H351 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335-H336	75-100%
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44	methanol Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: $C \geq 10 \%$ STOT SE 2; H371: $3 \% \leq C < 10 \%$	10-25%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: STRIPGEL

(Contd. of page 2)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

Immediately remove any clothing soiled by the product.

Seek medical treatment.

##### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Use a respiratory bag or breathing device.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

##### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

##### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

##### After swallowing:

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

##### Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

##### Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Use only in well ventilated areas.

#### Information about fire - and explosion protection:

Keep respiratory protective device available.

Highly volatile, flammable constituents are released during processing.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

**Trade name: STRIPGEL**

(Contd. of page 3)

Protect from heat.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.
- **Information about storage in one common storage facility:**
  - Do not store together with alkalis (caustic solutions).
  - Do not store together with oxidising and acidic materials.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · **Ingredients with limit values that require monitoring at the workplace:**

###### **CAS: 75-09-2 dichloromethane**

IOELV	Short-term value: 706 mg/m <sup>3</sup> , 200 ppm
	Long-term value: 353 mg/m <sup>3</sup> , 100 ppm
	Skin

###### **CAS: 67-56-1 methanol**

IOELV	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin

##### · **DNELs**

###### **CAS: 75-09-2 dichloromethane**

Oral	DNEL Long term-systemic	0.06 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	2,395 mg/kg human/day (consumer)
		4,750 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	88.3 mg/m <sup>3</sup> (consumer)
		353 mg/m <sup>3</sup> (worker)
	DNEL Acute-systemic mg/m <sup>3</sup>	353 mg/m <sup>3</sup> (consumer)
		706 mg/m <sup>3</sup> (worker)

###### **CAS: 67-56-1 methanol**

Oral	DNEL acute-systemic	8 mg/kg human/day (consumer)
	DNEL Long term-systemic	8 mg/kg human/day (consumer)
Dermal	DNEL Acute-systemic	8 mg/kg human/day (consumer)
		40 mg/kg human/day (worker)
	DNEL Long term-systemic	8 mg/kg human/day (consumer)
		40 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	50 mg/m <sup>3</sup> (consumer)
		260 mg/m <sup>3</sup> (worker)
	DNEL Long term local mg/m <sup>3</sup>	50 mg/m <sup>3</sup> (consumer)
		260 mg/m <sup>3</sup> (worker)
	DNEL Acute-systemic mg/m <sup>3</sup>	50 mg/m <sup>3</sup> (consumer)
		260 mg/m <sup>3</sup> (worker)
	DNEL Acute-local mg/m <sup>3</sup>	50 mg/m <sup>3</sup> (consumer)
		260 mg/m <sup>3</sup> (worker)

##### · **PNECs**

###### **CAS: 75-09-2 dichloromethane**

PNEC Freshwater mg/L	0.54 mg/L
PNEC Marinewater mg/L	0.194 mg/L
PNEC Freshwater sediment	4.47 mg/Kg
PNEC Marine water sediment	1.61 mg/Kg
PNEC Intermittent release	0.27
PNEC Soil	0.583 mg/Kg
PNEC Sewage treatment Plant mg/L	26 mg/L

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

**Trade name: STRIPGEL**

(Contd. of page 4)

**· 8.2 Exposure controls****· Appropriate engineering controls** No further data; see item 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

**· Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**· Hand protection**

Protective gloves

Neoprene gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Neoprene gloves

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**· Not suitable are gloves made of the following materials:** Strong material gloves**· Eye/face protection**

Tightly sealed goggles

**· Body protection:** Solvent resistant protective clothing

## SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Light yellow

**· Odour:**

Pungent

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

Undetermined.

**· Boiling point or initial boiling point and boiling range**

40 °C

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

5.5 Vol %

**· Upper:**

44 Vol %

**· Flash point:**

11 °C

**· Auto-ignition temperature:**

Product is not selfigniting.

**· Decomposition temperature:**

Not determined.

**· pH**

Not determined.

**· Viscosity:****· Kinematic viscosity at 20 °C**

300 s (DIN 53211/4)

**· Dynamic:**

Not determined.

**· Solubility****· water:**

Insoluble.

**· Partition coefficient n-octanol/water (log value)**

Not determined.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: STRIPGEL

(Contd. of page 5)

· Vapour pressure at 20 °C:	453 hPa
· Density and/or relative density	
· Density at 20 °C:	1.225 g/cm <sup>3</sup>
· Relative density at 20 °C	1.3
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	455 °C
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	98.34 %
· Swiss VOC:	98.04 %
· Solids content:	1.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	
Highly flammable liquid and vapour.	
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:
  - Do not store together with alkalis (caustic solutions).
  - Store away from flammable substances.
  - Do not store together with oxidising and acidic materials.
- 10.6 Hazardous decomposition products:
  - During heating or in case of fire poisonous gases are produced.
  - Hydrogen chloride (HCl)

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
  - Harmful if swallowed.

(Contd. on page 7)

EU



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

**Trade name: STRIPGEL**

(Contd. of page 6)

**· LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	2,307 mg/kg (Mouse)
------	------	---------------------

**CAS: 75-09-2 dichloromethane**

Oral	LD50	1,987 mg/kg (Mouse) 2,136 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50 / 4 h	88 mg/l (Rat)
	LC50/ 8 h	16,189 mg/m <sup>3</sup> (Mouse)
	LC50/ 24 h (dynamic)	268 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 310 mg/ltr (Daphnia magna (water flea)) 268 mg/ltr (Pimephales promelas)
	LC50 / 48 h (dynamic)	265 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 265 mg/ltr (Pimephales promelas)
	EC 50 / 96 h	>662 mg/ltr (Selenastrum capricornutum (Algae))

**CAS: 67-56-1 methanol**

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	20,000 mg/kg (Rabbit)
Inhalative	LC50 / 4 h	80-130 mg/l (Rat)
	EC50 / 24 h	>10,000 mg/ltr (Daphnia magna (water flea))

**· Skin corrosion/irritation**

Causes skin irritation.

**· Serious eye damage/irritation**

Causes serious eye irritation.

**· Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**· Germ cell mutagenicity** Based on available data, the classification criteria are not met.**· Carcinogenicity**

Suspected of causing cancer.

**· Reproductive toxicity** Based on available data, the classification criteria are not met.**· STOT-single exposure**

Causes damage to the central nervous system and the visual organs.

May cause respiratory irritation. May cause drowsiness or dizziness.

**· STOT-repeated exposure** Based on available data, the classification criteria are not met.**· Aspiration hazard** Based on available data, the classification criteria are not met.**· 11.2 Information on other hazards****· Endocrine disrupting properties**

CAS: 75-09-2 dichloromethane

List II

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****CAS: 75-09-2 dichloromethane**

LC50 / 96 h (static)	310 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 330 mg/ltr (Cyprinodon Variegatus) 193 mg/ltr (Pimephales promelas)
----------------------	---

**CAS: 67-56-1 methanol**

LC50 / 96 h	>10,000 mg/ltr (fish)
-------------	-----------------------

**· 12.2 Persistence and degradability** No further relevant information available.**· Other information:** The product is not easily biodegradable.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: STRIPGEL

(Contd. of page 7)

· 12.7 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

## · 13.1 Waste treatment methods

· **Recommendation** Disposal must be made according to official regulations· **European waste catalogue**

15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 04	metallic packaging
14 00 00	WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08)
14 06 00	waste organic solvents, refrigerants and foam/aerosol propellants
14 06 02*	other halogenated solvents and solvent mixtures
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic

· **Uncleaned packaging:**· **Recommendation:** Disposal in accordance with administrative provisions

### SECTION 14: Transport information

## · 14.1 UN number or ID number

· **ADR, IMDG, IATA** UN1992

## · 14.2 UN proper shipping name

· **ADR** 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)  
 · **IMDG, IATA** FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)

## · 14.3 Transport hazard class(es)

· **ADR**

· **Class** 3 (F+1) Flammable liquids.  
 · **Label** 3+6.1

· **IMDG**

· **Class** 3 Flammable liquids.  
 · **Label** 3/6.1

· **IATA**

· **Class** 3 Flammable liquids.  
 · **Label** 3 (6.1)

## · 14.4 Packing group

· **ADR, IMDG, IATA** II

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: STRIPGEL

(Contd. of page 8)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	336
· EMS Number:	F-E,S-D
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL), 3 (6.1), II

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS02



GHS07



GHS08

- Signal word *Danger*
- Hazard-determining components of labelling:  
dichloromethane  
methanol
- Hazard statements  
H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H370 Causes damage to the central nervous system and the visual organs.  
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
- Precautionary statements  
P201 Obtain special instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P403+P235 Store in a well-ventilated place. Keep cool.
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 10)

EU

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

**Trade name: STRIPGEL**

(Contd. of page 9)

- **Seveso category**  
H3 STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 59, 69

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
I	98.0

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H370 Causes damage to organs.
- **Classification according to Regulation (EC) No 1272/2008** Calculation method

· **Department issuing SDS:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Date of previous version:** 19.07.2021

· **Version number of previous version:** 5

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

**Trade name: STRIPGEL**

(Contd. of page 10)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

. \* **Data compared to the previous version altered.**

EU

(Contd. on page 12)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Version: 6 (replaces version 5)

Revision: 19.07.2021

Trade name: **STRIPGEL**

(Contd. of page 11)

### Annex: Exposure scenario

- **Short title of the exposure scenario**
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category** PROC10 Roller application or brushing
- **Environmental release category**
  - ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
  - ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
  - ERC8c Widespread use leading to inclusion into/onto article (indoor)
  - ERC8f Widespread use leading to inclusion into/onto article (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Used amount per time or activity** According to directions for use.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**
  - Avoid contact with the skin.
  - Do not breathe gas/vapour/aerosol.
  - Indoor application.
  - Outdoor application.
  - Avoid contact with eyes.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the skin.
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
  - Protective gloves
  - Neoprene gloves
  - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
  - Avoid contact with the eyes.
  - Tightly sealed goggles
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** No special measures required.
- **Disposal measures**
  - Disposal in accordance with administrative provisions
  - Ensure that waste is collected and contained.
- **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.