Version: 13 (replaces version 12) Printing date 28.10.2021 Revision: 28.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ZEP 50 (AERO)
- · Article number: 15000001
- · UFI: 0VE6-70CK-100Y-MT5S
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

- · Application of the substance / the mixture Detergents
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

(a): tecnico(a)zepeurope.com

Sito: www.zep.it

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

 $Fax:(NL) + 31\ 164\ 266\ 710\ (B) + 32\ 2\ 347\ 1395$

@: info@zepbenelux.com

Distributed in the UK by:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000

Fax: +44 (0)151 422 1011 @: info@zep.co.uk

web: www.zep.co.uk

· Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

emergency number (europe): 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aerosol 1

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Version: 13 (replaces version 12) Printing date 28.10.2021 Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

· Hazard pictograms





- · Signal word Danger
- Hazard-determining components of labelling:

2-aminoethanol

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	10-25%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane (< 0.1% butadine) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-10%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-xxxx	1-(2-Methoxypropoxy)-2-propanol substance with a Community workplace exposure limit	5-10%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥3-<5%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	1-2.5%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18-xxxx	tetrapotassium pyrophosphate © Eye Irrit. 2, H319	1-2.5%

Additional information:

Ingredients according to Detergents Regulation 648/2004/EC

Phosphates, Nonionic surfactants <5%

· Additional Information: For the wording of the listed hazard phrases refer to section 16.

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Alcohol resistant foam

Water haze

Dry sand

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 3)

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredi	Ingredients with limit values that require monitoring at the workplace:			
	CAS: 34590-94-8 1-(2-Methoxypropoxy)-2-propanol			
IOELV	Long-term value: 308 mg/m³, 50 ppm Skin			
CAS: 1	41-43-5 2-aminoethanol			
IOELV	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin			

· DNELs	· DNELs				
CAS: 67-6	CAS: 67-63-0 propan-2-ol				
Oral	DNEL Long term-systemic	26 mg/kg human/day (consumer)			
Dermal	DNEL Long term-systemic	319 mg/kg human/day (consumer)			
		888 mg/kg human/day (worker)			
Inhalative	DNEL Long term-systemic mg/m3	89 mg/m3 (consumer)			
		500 mg/m3 (worker)			
CAS: 3459	0-94-8 1-(2-Methoxypropoxy)-2-p	ropanol			
Oral	DNEL Long term-systemic	1.67 mg/kg human/day (consumer)			
Dermal	DNEL Long term-systemic	15 mg/kg human/day (consumer)			
		65 mg/kg human/day (worker)			
Inhalative	DNEL Long term-systemic mg/m3	37.2 mg/m3 (consumer)			
		310 mg/m3 (worker)			

I	· PNECs	
ı	CAS: 67-63-0 propan-2-ol	
ı	PNEC Freshwater mg/L	140.9 mg/L
ı	PNEC Marinewater mg/L	140.9 mg/L
ı	PNEC Freshwater sediment	552 mg/Kg
ı	PNEC Marine water sediment	552 mg/Kg
ı	PNEC Intermittent release	140.9
ı	PNFC Soil	28 mg/Kg

CAS: 34590-94-8 1-(2-Methoxypropoxy)-2-propanol

PNEC Freshwater mg/L	19 mg/L
PNEC Marinewater mg/L	19 mg/L 1.9 mg/L 70.2 mg/Kg 7.02 mg/Kg
PNEC Freshwater sediment	70.2 mg/Kg
PNEC Marine water sediment	7.02 mg/Kg
PNEC Intermittent release	190
PNEC Soil PNEC Sewage treatment Plant mg/L	2.74 mg/Kg
PNEC Sewage treatment Plant mg/L	4,168 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.

(Contd. on page 5)

Version: 13 (replaces version 12) Revision: 28.10.2021 Printing date 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 4)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter AX/P2

· Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

· Colour: According to product specification

· Odour: Characteristic Not determined. · Odour threshold:

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range Not applicable, as aerosol. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. <0°C · Flash point:

Product is not selfigniting. Auto-ignition temperature:

Decomposition temperature: Not determined.

· pH at 20 °C 13

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. Not determined. · Partition coefficient n-octanol/water (log value) · Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 0.93 g/cm^3 · Relative density Not determined. Not determined. · Vapour density

- · 9.2 Other information
- · Appearance:
- · Form: Aerosol

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Version: 13 (replaces version 12) Printing date 28.10.2021 Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

Important information on protection of health and

environment, and on safety.

255 °C · Ignition temperature:

Explosive properties: Product is not explosive. However, formation of explosive air/

Void

vapour mixtures are possible.

· Solvent content:

Organic solvents: 16.1% · Swiss VOC: 33.30 % 9.7 % · Solids content:

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void

· Aerosols

· Oxidising gases

Extremely flammable aerosol. Pressurised container: May burst if heated.

Void · Gases under pressure · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 value	s relevant for	classification:
-----------------	----------------	-----------------

ATE (Acute Toxicity Estimates) LD5039,662 mg/kg Oral Dermal LD5022,320 mg/kg (Rabbit)

Inhalative	LC30 / 4 h	241 mg/l
------------	------------	----------

CAS: 67-6	3-0 propan-2	l-ol		
Oral	LD50	>5,000 mg/kg (Rat)		
Dermal	LD50	13,900 mg/kg (rab)		
Inhalative	LC50 / 4 h	46-73 mg/l (Rat)		
	LC50/8 h	12,000-19,000 mg/m3 (Rat)		
	EC50 / 24 h	>1,000 mg/ltr (Daphnia magna (water flea))		

(Contd. on page 7)

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

		(Contd. of page 6
CAS: 345	90-94-8 1-(2-)	Methoxypropoxy)-2-propanol
Oral	LD50	>4,000 mg/kg (Rat)
Dermal	LD50	9,510 mg/kg (Rabbit)
	LC50 / 48 h	1.919 mg/ltr (Daphnia magna (water flea))
CAS: 141	-43-5 2-amine	oethanol
Oral	LD50	1,809 mg/kg (Rat)
Dermal	LD50	1,018 mg/kg (Rabbit)
	LC50 / 48 h	>200 mg/ltr (Lepomus gobbosus (Zonnebaars))
CAS: 732	0-34-5 tetrapo	otassium pyrophosphate
Oral	LD50	>2,000 mg/kg (Mouse)
		>2,000 mg/kg (Rat)
		>7,940 mg/kg (Rabbit)
	LC50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))

- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· 12.1 10XIC	пу			
· Aquatic to:	· Aquatic toxicity:			
CAS: 67-6	3-0 propan-2-ol			
LC50 / 96	h 9,640 mg/ltr (fish)			
	>1,400 mg/ltr (Lepomus gobbosus (Zonnebaars))			
	6,550 mg/ltr (Pimephales promelas)			
EC 50 / 48	h 2,285-13,299 mg/ltr (Daphnia magna (water flea))			
CAS: 3459	0-94-8 1-(2-Methoxypropoxy)-2-propanol			
LC50 / 96	h >10,000 mg/ltr (Pimephales promelas)			
EC 50 / 72	EC 50 / 72 H 1,000 (Selenastrum capricornutum (Algae))			
CAS: 141-	43-5 2-aminoethanol			
	h >100 mg/ltr (Daphnia magna (water flea))			
CAS: 7320	-34-5 tetrapotassium pyrophosphate			
LC50 / 96	h >100 mg/ltr (Oncorhynchus mykiss (Rainbow trout))			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 7)

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class I (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations

· European waste catalogue

HP3 Flammable

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

CECTION	1 / /	•		C	
SECTION 1	$\Delta \cdot$	rangnart		Ormai	TON
DECITOR	τ . ι	Iuuspoit	ши	UI IIIIIII	uvu

. 14 1	IIN	numher	or ID	number
14.1	UIV	numver	עו וט	numvei

· ADR, IMDG, IATA UN1950

· 14.2 UN proper shipping name

· ADR 1950 AEROSOLS · IMDG AEROSOLS

· IATA AEROSOLS, flammable

· 14.3 Transport hazard class(es)

 \cdot ADR



Class
 Label
 2 5F Gases.
 2.1

· IMDG, IATA



Class
 Label
 2.1 Gases.
 2.1

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: Yes

· 14.6 Special precautions for user Warning: Gases.

· Hazard identification number (Kemler code):

· EMS Number: F-D,S-U

• Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A.

For AEROSOLS with a capacity above 1 litre: Category B. For WASTE

AEROSOLS: Category C, Clear of living quarters.
Segregation Code SG69 For AEROSOLS with a maximum capacity of

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for

division 1.4.

(Contd. on page 9)

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

		(Contd. of pag
	For AEROSOLS with a capacity above 1 litre:	
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:	
	Segregation as for the appropriate subdivision of class 2.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
Transport category	2	
Tunnel restriction code	D	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

Reg (EC) n. 648/2004 - Detergents

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms





GHS02 GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

2-aminoethanol

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 10)

Version: 13 (replaces version 12) Printing date 28.10.2021 Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 9)

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	37.3

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Date of previous version: 28.10.2021

· Version number of previous version: 12

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)

(Contd. of page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
WELL: The highest acceptable concentration
IOELV: Indicative occupational exposure limit values
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – C PBT: Persistent, Bioaccumulative and Toxic

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

(Contd. on page 12)

Printing date 28.10.2021 Version: 13 (replaces version 12) Revision: 28.10.2021

Trade name: ZEP 50 (AERO)

(Contd. of page 11)

Annex: Exposure scenario

- · Short title of the exposure scenario For the finished product.
- Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Aerosol
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Avoid long-term or repeated skin contact.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures

Provide explosion-proof electrical equipment.

Use product only in enclosed systems.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

· Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

Do not allow to reach sewage system.

- · Soil Prevent contamination of soil.
- · Disposal measures

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.